



## *Table of Contents*

Page 2 .....Equal & Unequal Angle – Structural & Architectural

Page 3 .....Flat Bar – Structural

Page 4 .....Flat Bar – Architectural

Page 5 .....“U” Channel, I-Beam and Tee

Page 6 .....Round Tube

Page 7 .....Square and Rectangular Tube

Page 8 .....Pipe: Mill Finish, Bright Dip Anodized, Brushed

Page 9 .....Round Rod and Square Bar

Page 10 .....Flat Sheet

Page 11 .....Cut Sheet, Expanded Sheet, Perforated Sheet

Page 12 .....Tread Plate

Page 13 .....Speed – Rail Fittings, Piano Hinges

Page 14 .....Butt Weld Fitting & Flanges

Page 15 .....5086 Angles

Page 16 .....5086 Pipe

Page 17 .....5086 Sheet and Plate

Page 18 .....5086 Flat Bar

Page 19 .....5086 Round Tube and Round Rod

Page 20 .....Stainless Steel Angles

Page 21 .....Stainless Steel Flat Bar

Page 22 .....Stainless Steel Pipe

Page 23 .....Stainless Steel Rod and Polished Tube

Page 24 .....Stainless Steel Sheet and 90° Elbows

Page 25 .....Stainless Steel Plate

Page 26 .....Gauges

*For Marine & Industrial Uses...*



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • [www.adimetal.com](http://www.adimetal.com)



QQ-A-200/9

ASTM B221

### Equal Angle

**Architectural  
(6063-T5)**

ITEM #	DESCRIPTION	LENGTH	WT FT
11400	1/2 x 1/2 x 1/16	20'	0.070
11420	1/2 x 1/2 x 1/8	16'	0.131
11450	3/4 x 3/4 x 1/16	20'	0.107
11460	3/4 x 3/4 x 1/8	20'	0.206
11500	1 x 1 x 1/16	20'	0.144
11520	1 x 1 x 1/8	20'	0.281
11560	1 1/4 x 1 1/4 x 1/8	20'	0.356
11616	1 1/2 x 1 1/2 x 1/16	20'	0.218
11620	1 1/2 x 1 1/2 x 1/8	20'	0.431
11642	1 1/2 x 1 1/2 x 3/16	20'	0.634
11680	1 3/4 x 1 3/4 x 1/8	20'	0.506
11716	2 x 2 x 1/16	20'	0.293
11720	2 x 2 x 1/8	20'	0.581
11722	2 x 2 x 3/16	20'	0.856
11725	2 x 2 x 1/4	20'	1.126
11820	3 x 3 x 1/8	20'	0.881
11990	3 x 3 x 1/4	20'	1.724



QQ-A-200/8

### Equal Angle

**Structural  
(6061-T6)**

ITEM #	DESCRIPTION	LENGTH	WT FT
12540	1 x 1 x 3/16	25'	0.410
12550	1 x 1 x 1/4	25'	0.514
12570	1 1/4 x 1 1/4 x 3/16	25'	0.512
12640	1 1/2 x 1 1/2 x 3/16	25'	0.623
12642	1 1/2 x 1 1/2 x 1/4	25'	0.809
12730	2 x 2 x 3/16	25'	0.850
12740	2 x 2 x 1/4	25'	1.110
12750	2 x 2 x 3/8	25'	1.611
12745	2 1/2 x 2 1/2 x 1/4	25'	1.399
12836	3 x 3 x 3/16	25'	1.283
12840	3 x 3 x 1/4	25'	1.684
12850	3 x 3 x 3/8	25'	2.474
12860	4 x 4 x 1/4	25'	2.282
12870	4 x 4 x 3/8	25'	3.367
12900	6 x 6 x 3/8	25'	5.119



QQ-A-200/9

ASTM B221

### Unequal Angle

**Architectural  
(6063-T5)**

ITEM #	DESCRIPTION	LENGTH	WT FT
11007	1/2 x 3/4 x 1/16	16'	0.090
11010	1/2 x 1 x 1/8	20'	0.206
11040	3/4 x 1 1/2 x 1/8	20'	0.319
11070	1 x 1 1/2 x 1/8	20'	0.356
11200	1 x 2 x 1/8	20'	0.431
11130	1 x 3 x 1/8	20'	0.582
11230	2 x 3 x 1/8	20'	0.731
11248	2 x 4 x 1/8	20'	0.882
11255	2 x 4 x 1/4	20'	1.731
11360	2 x 5 x 1/8	20'	1.031



QQ-A-200/8

### Unequal Angle

**Structural  
(6061-T6)**

ITEM #	DESCRIPTION	LENGTH	WT FT
12260	2 x 3 x 1/4	25'	1.403
12340	3 x 4 x 1/4	25'	1.988
12350	3 x 5 x 3/8	25'	3.349
12460	4 x 6 x 3/8	25'	4.237

*For Marine & Industrial Uses...*



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • [www.adimetal.com](http://www.adimetal.com)

QQ-A-200/8

ASTM B308

<b>Flat Bar Structural - 6061-T6511</b>				<b>Flat Bar Structural - 6061-T6511</b>			
ITEM #	DESCRIPTION	LENGTH	WT FT	ITEM #	DESCRIPTION	LENGTH	WT FT
22102	1 x 1/8	12'	0.151	22408	4 x 1/2	12'	2.400
22103	1 x 3/16	12'	0.226	22412	4 x 3/4	12'	3.600
22105	1 x 1/4	12'	0.300	22416	4 x 1	12'	4.801
22106	1 x 3/8	12'	0.450	22504	5 x 1/4	12'	1.500
22108	1 x 1/2	12'	0.600	22506	5 x 3/8	12'	2.260
22112	1 x 3/4	12'	0.900	22508	5 x 1/2	12'	3.000
22123	1 1/4 x 3/16	12'	0.283	22604	6 x 1/4	12'	1.764
22124	1 1/4 x 1/4	12'	0.376	22606	6 x 3/8	12'	2.700
22143	1 1/2 x 3/16	12'	0.338	22608	6 x 1/2	12'	2.600
22144	1 1/2 x 1/4	12'	0.441	22612	6 x 3/4	12'	5.292
22146	1 1/2 x 3/8	12'	0.662	22616	6 x 1	12'	9.600
22148	1 1/2 x 1/2	12'	0.900	22804	8 x 1/4	12'	2.352
22203	2 x 3/16	12'	0.442	22806	8 x 3/8	12'	3.528
22204	2 x 1/4	12'	0.600	22808	8 x 1/2	12'	4.704
22206	2 x 3/8	12'	0.882	23104	10 x 1/4	12'	2.940
22208	2 x 1/2	12'	1.200	23106	10 x 3/8	12'	4.410
22212	2 x 3/4	12'	1.800	23108	10 x 1/2	12'	5.880
22216	2 x 1	12'	0.735	23112	10 x 3/4	12'	8.820
22254	2 1/2 x 1/4	12'	2.352	23116	10 x 1	12'	11.760
22304	3 x 1/4	12'	0.900	23124	12 x 1/4	12'	3.528
22306	3 x 3/8	12'	1.350	23126	12 x 3/8	12'	5.292
22308	3 x 1/2	12'	1.764	23128	12 x 1/2	12'	7.056
22312	3 x 3/4	12'	3.600	23136	12 x 3/4	12'	10.584
22316	3 x 1	12'	2.639	23160	12 x 1	12'	14.112
22404	4 x 1/4	12'	1.200	23170	14 x 1/4	12'	4.116
22406	4 x 3/8	12'	1.800				

*For Marine & Industrial Uses...*



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • [www.adimetal.com](http://www.adimetal.com)

QQ-A-200/9

ASTM B221

**Flat Bar** Architectural - 6063-T5

ITEM #	DESCRIPTION	LENGTH	WT FT
21052	1/2 x 1/8	20'	.076
21076	3/4 x 1/8	20'	.114
21101	1 x 1/8	20'	.151
21103	1 x 3/16	20'	.224
21110	1 x 1/4	20'	.300
21120	1 1/4 x 1/8	20'	.187
21142	1 1/2 x 1/8	20'	.225
21143	1 1/2 x 3/16	16'	.338
21144	1 1/2 x 1/4	20'	.450
21201	2 x 1/8	20'	.300
21203	2 x 3/16	20'	.451
21205	2 x 1/4	20'	.600
21302	3 x 1/8	20'	.450
21303	3 x 3/16	20'	.677
21304	3 x 1/4	20'	.900
21401	4 x 1/8	20'	.600
21403	4 x 3/16	20'	.902
21404	4 x 1/4	20'	1.200
21602	6 x 1/8	20'	.900

*For Marine & Industrial Uses...*



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • [www.adimetal.com](http://www.adimetal.com)

QQ-A-200/9

ASTM B209



**DIMENSIONS  
ARE O.D.**

QQ-A-200/8

ASTM B308



**“U” Channel Architectural (6063-T5)**

ITEM #	DESCRIPTION	LTH.	WT	FT
31056	1/2 x 1/2 x 1/2 x 1/16	20'	.084	
31057	1/2 x 3/4 x 1/2 x 1/8	20'	.226	
31075	3/4 x 1/2 x 3/4 x 1/8	20'	.263	
31078	3/4 x 3/4 x 3/4 x 1/8	20'	.300	
31105	1/2 x 1 x 1/2 x 1/8	20'	.263	
31112	1 x 1 x 1 x 1/8	20'	.413	
31120	2 x 1 x 2 x 1/8	20'	.713	
31125	1/2 x 1 1/4 x 1/2 x 1/8	20'	.300	
31133	1 1/4 x 1 1/4 x 1 1/4 x 1/8	20'	.526	
31159	1 1/2 x 1 1/2 x 1 1/2 x 1/8	20'	.637	
31180	1 x 1 3/4 x 1 x 1/8	20'	.524	
31205	1/2 x 2 x 1/2 x 1/8	20'	.413	
31214	1 x 2 x 1 x 1/8	20'	.563	
31314	1 x 3 x 1 x 1/8	20'	.713	

**(6061-T6)**

31412-MD 1	x 4	x 1	x .115	20'	.793
------------	-----	-----	--------	-----	------


**“U” Channel Structural (6061-T6)**

ITEM #	DESCRIPTION	LENGTH	WT	FT
32300	3 x 1.41 x .170	25'	1.417	
32310	3 x 1.498 x .258	25'	1.729	
32350	3 x 1.75 x .170/.260	25'	1.600	
32400	4 x 1.58 x .180	25'	1.846	
32410	4 x 1.72 x .320	25'	2.505	
32420	4 x 2 x .150/.230	25'	1.738	
32500	5 x 1.75 x .190	25'	2.320	
32505	5 x 1.885 x .325	25'	3.108	
32600	6 x 1.92 x .200	25'	2.822	
32602	6 x 2.034 x .314	25'	3.634	
32603	6 x 3.25 x .210/.350	25'	4.112	
32801	8 x 2.29 x .250	25'	4.257	
32950	10 x 2.60 x .240	25'	5.280	
32958	12 x 2.96 x .300	25'	7.415	

QQ-A-200/8

ASTM B308

**Beams Structural 6061-T6**



ITEM #	DESCRIPTION	LENGTH	WT	FT
33014	3 x 2.50 x .150/.260 A.A. I-Beam	25'	2.071	
33140	4 x 3 x .150/.230 A.A. I-Beam	25'	2.330	
33150	4 x 4 x .313 H-Beam	25'	4.757	
33160	6 x 4 x .190/.290 A.A. I-Beam	25'	4.030	
33165	6 x 6 x .240 Wide Flange	25'	5.401	

**Tee Structural & Architectural**



ITEM #	DESCRIPTION	LENGTH	WT	FT
99310	1 x 1 x 1/8 - ARCHITECTURAL - 6063-T5	20'	.281	
99315	1 1/2 x 1 1/2 x 3/16 - STRUCTURAL - 6061-T6	25'	.700	
99320	2 x 2 x 1/4 - STRUCTURAL - 6061-T6	25'	1.26	

*For Marine & Industrial Uses...*



## Round Tube

(ALLOY AS INDICATED)

ITEM #	DESCRIPTION	LENGTH	TYPE	ALLOY
52051	1/2 x .049	21'	EXTRUDED	6063-T6
52058	5/8 x .049	20'	EXTRUDED	6063-T5
52075	3/4 x .065	24'	EXTRUDED	6063-T5
52085	7/8 x .049	20'	SERRATED	6063-T5
52086	1 x .049	20'	SERRATED	6063-T5
52092-B	1 x .062	12'	BDA	6463-T5
52094	1 x .062	24'	EXTRUDED	6063-T52
52100	1 x .125	24'	EXTRUDED	6063-T5
52128	1 1/4 x .062	24'	EXTRUDED	6060-T6
52151	1 1/2 x .065	24'	EXTRUDED	6063-T5
52155	1 1/2 x .125	24'	EXTRUDED	6061-T6
52156	1 1/2 x .125	24'	EXTRUDED	6063-T5
52190	2 x .050	24'	EXTRUDED	6063-T5
52201	2 x .125	24'	EXTRUDED	6061-T6
52202	2 x .125	24'	EXTRUDED	6063-T5
52250	2 1/2 x .125	24'	EXTRUDED	6061-T6
52318	3 x .125	24'	EXTRUDED	6063-T5
52319	3 x .125	24'	EXTRUDED	6061-T6
52400	4 x .125	24'	EXTRUDED	6063-T5
52500	5 x .125	24'	EXTRUDED	6063-T5
52600	6 x .125	20'	EXTRUDED	6063-T5
52625	6 x .250	24'	EXTRUDED	6061-T6
52800	8 x .125	24'	EXTRUDED	6063-T6

*For Marine & Industrial Uses...*



## Square Tube 6063-T52 & 6061-T6



ITEM #	DESCRIPTION	LENGTH	ALLOY	WT FT
53050	1/2 x 1/2 x 1/16	20'	6063-T5	0.130
53075	3/4 x 3/4 x .055	24'	6063-T5	0.183
53079	3/4 x 3/4 x 1/8	24'	6063-T52	0.376
53100	1 x 1 x .062	24'	6063-T52	0.280
53108	1 x 1 x 1/8	24'	6063-T52	0.526
53125	1 1/4 x 1 1/4 x 1/8	24'	6063-T52	0.675
53150	1 1/2 x 1 1/2 x 1/8	24'	6063-T52	0.826
53175	1 3/4 x 1 3/4 x 1/8	24'	6063-T52	0.975
53218	2 x 2 x 1/8	24'	6063-T5	1.126
53214†	2 x 2 x 1/4	24'	<b>6061-T6</b>	2.100
53227	2 1/4 x 2 1/4 x .095	24'	6063-T5	0.982
53232†	2.45 x 2.45 x .250 Rad.Corners	18'	<b>6061-T6</b>	2.640
53299	3 x 3 x 1/8	24'	6063-T5	1.726
53314†	3 x 3 x 1/4	24'	<b>6061-T6</b>	3.300
53418	4 x 4 x 1/8	24'	6063-T52	2.326
53425†	4 x 4 x 1/4	24'	<b>6061-T6</b>	4.410
53618	6 x 6 x 1/8	24'	6063-T5	3.525
53625	6 x 6 x 1/4	24'	<b>6061-T6</b>	6.900

† **6061-T6 (All Others 6063-T52/T5)** **Mill Finish (ALLOY AS INDICATED)**

## Rectangular Tube (6063-T5)



ITEM #	DESCRIPTION	LENGTH	ALLOY	WT FT
53510	1/2 x 1 x .093	24'	6063-T5	0.293
53605	3/4 x 1 1/2 x 1/8	24'	6063-T5	0.600
53609	1 x 1 1/2 x 1/8	24'	6063-T5	0.676
53614	1 x 2 x 1/8	24'	6063-T5	0.825
53713	1 x 3 x 1/8	24'	6063-T5	1.126
53814	1 x 4 x 1/8	24'	6063-T5	1.426
53650	1 1/4 x 2 1/2 x 1/8	24'	6063-T5	1.050
53715	1 1/2 x 2 x 1/8	24'	6063-T5	0.967
53717	1 1/2 x 3 x 1/8	24'	6063-T5	1.274
53730	2 x 3 x 1/8	24'	6063-T5	1.426
53840	2 x 4 x 1/8	24'	6063-T5	1.726
53844	2 x 4 x 1/4	24'	6063-T5	3.300
53949	2 x 5 x 1/8	24'	6063-T5	2.026
53963	2 x 6 x 1/8	24'	6063-T5	2.326
53964	2 x 6 x 1/4	24'	<b>6061-T6</b>	4.500
53928	2 x 8 x 1/8	24'	6063-T5	2.924
53965	3 x 6 x 3/16	24'	6063-T5	3.814

*For Marine & Industrial Uses...*



**Pipe: 6063-T52 & 6061-T6 Mill Finish (ALLOY AS INDICATED)**

ITEM #	SIZE	SCHEDULE	LENGTH	WT FT	O.D.	I.D.	WALL
41012	1/8	40	12'	0.085	.405	.269	.068
41026†	1/4	40	12'	0.147	.540	.364	.088
41038	3/8	40	20'	0.196	.675	.493	.091
41050	1/2	40	20'	0.294	.840	.622	.109
41075	3/4	40	20'	0.391	1.050	.824	.113
41100	1	40	20'	0.581	1.315	1.049	.133
41108†	1	80	20'	0.751	1.315	.957	.179
41125	1 1/4	40	20'	0.786	1.660	1.380	.140
41128†	1 1/4	80	20'	1.037	1.660	1.278	.191
41152	1 1/2	10	20'	0.721	1.900	1.682	.109
41150	1 1/2	40	20'	0.940	1.900	1.610	.145
41158†	1 1/2	80	20'	1.256	1.900	1.500	.200
41200	2	40	20'	1.264	2.375	2.067	.154
41208†	2	80	20'	1.737	2.375	1.939	.218
41256†	2 1/2	40	22'	2.004	2.875	2.469	.203
41258†	2 1/2	80	20'	2.650	2.875	2.323	.276
41300†	3	40	20'	2.621	3.500	3.068	.216
41308†	3	80	20'	3.547	3.500	2.900	.300
41350†	3 1/2	40	20'	3.151	4.000	3.548	.226
41358†	3 1/2	80	20'	4.326	4.000	3.364	.318
41400†	4	40	20'	3.733	4.500	4.026	.237
41500†	5	40	20'	5.057	5.563	5.047	.258
41600†	6	40	20'	6.564	6.625	6.065	.280
41800†	8	40	20'	9.878	8.625	7.981	.322
42000†	10	40	20'	14.288	10.75	10.02	.365

† 6061-T6 (All Others 6063-T52)

**Pipe: Bright Dip Anodized or Brushed Finish**



ITEM #	SIZE	SCHEDULE	LENGTH	O.D.	I.D.	WALL
49052-B	1/2	40	23'	.840	.622	.109
49076-B	3/4	40	23'	1.050	.824	.113
49103-B	1	40	23'	1.315	1.049	.133
49123-B	1 1/4	40	23'	1.660	1.380	.140
49153-B	1 1/2	40	23'	1.900	1.610	.145
49203-B	2	40	23'	2.375	2.067	.154
49253-B	2 1/2	40	23'	2.875	2.469	.203

*For Marine & Industrial Uses...*





**Round Rod (ALLOY AS INDICATED)**

ITEM #	DIAMETER	ALLOY	LENGTH	WT FT
72018	1/8	6061-T6511	12'	0.0150
72190	3/16	6061-T6511	12'	0.0320
71022	1/4	6063-T5	12'	0.0620
71031	5/16	6063-T5	12'	0.0940
71038	3/8	6063-T5	20'	0.1320
71050	1/2	6063-T5	20'	0.2350
72056	1/2	6061-T6511	12'	0.2350
72058	5/8	6061-T6511	12'	0.3610
72075	3/4	6061-T6511	12'	0.6090
72100	1	6061-T6511	12'	0.9240
72125	1 1/4	6061-T6511	12'	1.4430
72150	1 1/2	6061-T6511	12'	2.0780
72175	1 3/4	6061-T6511	12'	2.8290
72200	2	6061-T6511	12'	3.6950
72250	2 1/2	6061-T6511	12'	5.7730
72300	3	6061-T6511	12'	8.3130
72350	3 1/2	6061-T6511	12'	11.314
72400	4	6061-T6511	12'	14.808
72500	5	6061-T6511	12'	23.067
72600	6	6061-T6511	12'	33.250



**Square Bar (ALLOY AS INDICATED)**

ITEM #	DESCRIPTION	ALLOY	LENGTH	WT FT
21906	3/8 x 3/8	6063-T5	20'	0.169
21908	1/2 x 1/2	6063-T5	20'	0.169
24008	1/2 x 1/2	6061-T6511	12'	0.300
24012	3/4 x 3/4	6061-T6511	12'	0.662
24016	1 x 1	6061-T6511	12'	1.176
24150	1 1/2 x 1 1/2	6061-T6511	12'	2.646
24200	2 x 2	6061-T6511	12'	4.800
24300	3 x 3	6061-T6511	12'	10.80
24400	4 x 4	6061-T6511	12'	18.797

*For Marine & Industrial Uses...*




2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • [www.adimetal.com](http://www.adimetal.com)

**Flat Sheet & Plate**  
(ALLOY AS INDICATED)

6061 - QQ-A-250/11 ASTM B209  
3003 - QQ-A-250/2 ASTM B209  
5052 - QQ-A-250/8 ASTM B209

ITEM #	DESCRIPTION	SIZE	TYPE	ALLOY
61031	.032	4' x 10'	SHEET	3003-H14
61040	.040	4' x 8'	SHEET	3003-H14
61044	.040	4' x 10'	SHEET	3003-H14
61057	.050	4' x 10'	SHEET	3003-H14
61064	.063	4' x 8'	SHEET	3003-H14
61066	.063	4' x 10'	SHEET	5052-H32
61068	.063	4' x 12'	SHEET	5052-H32
61080	.080	4' x 10'	SHEET	3003-H14
61089	.090	4' x 8'	SHEET	3003-H14
61098	.090	4' x 8'	SHEET	5052-H32
61090	.090	4' x 10'	SHEET	5052-H32
61092	.090	4' x 12'	SHEET	5052-H32
61120	.125	4' x 8'	SHEET	3003-H14
61127	.125	4' x 8'	SHEET	5052-H32
61121	.125	4' x 10'	SHEET	3003-H14
61129	.125	4' x 10'	SHEET	5052-H32
61122	.125	4' x 12'	SHEET	5052-H32
61123	.125	4' x 12'	SHEET	6061-T6
61125	.125	5' x 12'	SHEET	5052-H32
61192	.190	4' x 8'	SHEET	5052-H32
61193	.190	4' x 10'	SHEET	5052-H32
61190	.190	4' x 12'	SHEET	5052-H32
61196	.190	4' x 12'	SHEET	6061-T6
61200	.190	5' x 12'	SHEET	5052-H32
61247	.250	4' x 8'	PLATE	5052-H32
61248	.250	4' x 8'	PLATE	3003-H14
61249	.250	4' x 10'	PLATE	5052-H32
61250	.250	4' x 12'	PLATE	5052-H32
61255	.250	5' x 12'	PLATE	5052-H32
61256	.250	4' x 12'	PLATE	6061-T6
61375	.375	4' x 12'	PLATE	6061-T6
66548	.500	4' x 12'	PLATE	6061-T6



**Bar Gratings, Painted &  
Anodized Sheet All Available** *please inquire*




*For Marine & Industrial Uses...*



## Cut Sheet & Plate Stock Sizes (ALLOY AS INDICATED)

ITEM #	DESCRIPTION	SIZE	ALLOY
66121	.125	1' x 4'	5052-H32
66122	.125	2' x 4'	5052-H32
66124	.125	4' x 4'	5052-H32
66191	.190	1' x 4'	5052-H32
66192	.190	2' x 4'	5052-H32
66194	.190	4' x 4'	5052-H32
66255	.250	2' x 4'	5052-H32
66258	.250	4' x 4'	5052-H32



## Expanded Sheet

ITEM #	DESCRIPTION	SIZE	TYPE
64551	1/2 x .051	4' x 8'	Flattened Expanded
64583	1/2 x .081	4' x 8'	Flattened Expanded
64785	3/4 x .081	4' x 8'	Flattened Expanded
64791	3/4 x .125	4' x 8'	Flattened Expanded
64991	1 1/2 x .125	4' x 8'	Flattened Expanded

## Perforated Sheet WHITE PAINTED

ITEM #	DESCRIPTION
64996	.040 x 4' x 8' Perforated Sheet - .087" Dia. Holes - White Pattern #1
64998	.040 x 4' x 8' Perforated Sheet - .100" Dia. Holes - White Pattern #2

**BLACK BACKING "QUIET TECH" - NOISE REDUCTION - ENGINE ROOM**


*For Marine & Industrial Uses...*



## Tread Plate (ALLOY AS INDICATED)

**NOTE: SIZES AVAILABLE ON SPECIAL ORDER IN 5086/6061 MARINE GRADE.**

ITEM #	DESCRIPTION	SIZE		ALLOY
66069	.063 (1/16)	4' x 8'	TREAD BRITE	3003
62012	.063 (1/8)	4' x 12'	TREAD BRITE	3003
62120	.125 (1/8)	4' x 8'	TREAD BRITE	3003
62121	.125 (1/8)	4' x 10'	TREAD BRITE	3003
62122	.125 (1/8)	4' x 12'	TREAD BRITE	3003
62125	.125 (1/8)	4' x 16'	TREAD BRITE	3003
62116	.125 (1/8)	5' x 20'	5-BAR TREAD	5052
62193	.190 (3/16)	4' x 8'	TREAD BRITE	3003
62196	.190 (3/16)	4' x 16'	TREAD BRITE	3003
62210	.190 (3/16)	5' x 20'	5 BAR TREAD	5052
62253	.250 (1/4)	4' x 8'	TREAD BRITE	3003
62254	.250 (1/4)	4' x 16'	TREAD BRITE	3003



*For Marine & Industrial Uses...*



## Speed - Rail Fittings

**More Available  
For Pipe Only 3/4" - 2"**



**#3 ELL**



**#5 TEE**




**#9 SIDE OUTLET**



**Many Other Styles Available**



**#47 FLANGE**



**#7 CROSS**



## Piano Hinges

**Stainless Steel Hinges  
Also Available**

ITEM #	SIZE	LENGTH	MATERIAL
97156	1 1/2 x .040	6'	Aluminum
97205	2 x .050	6'	Aluminum
97306	3 x .062	6'	Aluminum
97310	3 x .125	6'	Aluminum
97410	4 x .125	6'	Aluminum



*For Marine & Industrial Uses...*



## Butt Weld Fittings & Flanges

**AVAILABLE 6061 OR 5086 FOR PIPE ONLY**



**ECCENTRICS**



**45 DEGREE  
ELBOWS**

### BUTT WELD TEES



**CONCENTRICS**



**90 DEGREE  
ELBOWS**

### FLANGES

**FLAT FACE**

**RAISED FACE**

**THREAD**

**BLIND**



### WELD NECK FLANGES



### SOCKET WELD ELBOW



*For Marine & Industrial Uses...*



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • [www.adimetal.com](http://www.adimetal.com)

QQ-A-200/5 ASTM B221 MARINE GRADE



**Angles (25 Ft) 5086-H111**

ITEM #	DESCRIPTION	WT FT
11125-5086	1 x 1 x 1/8	0.281
11188-5086	1 x 1 x 3/16	0.400
11250-5086	1 x 1 x 1/4	0.514
15125-5086	1 1/2 x 1 1/2 x 1/8	0.431
15188-5086	1 1/2 x 1 1/2 x 3/16	0.623
115250-5086	1 1/2 x 1 1/2 x 1/4	0.809
12125-5086	2 x 2 x 1/8	0.581
12188-5086	2 x 2 x 3/16	0.850
12250-5086	2 x 2 x 1/4	1.113
12375-5086	2 x 2 x 3/8	1.611
13185-5086	3 x 2 x 3/16	1.090
12260-5086	3 x 2 x 1/4	1.403
13188-5086	3 x 3 x 3/16	1.283
13250-5086	3 x 3 x 1/4	1.684
13375-5086	3 x 3 x 3/8	2.474
13425-5086	4 x 3 x 1/4	1.990
14250-5086	4 x 4 x 1/4	2.282
12870-5086	4 x 4 x 3/8	3.384
12900-5086	6 x 6 x 3/8	5.120

*For Marine Use...*



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • [www.adimetal.com](http://www.adimetal.com)

WW-T-700/5 ASTM B210



**PIPE 5086-H32**

**SCHEDULE 40 & 80 - MARINE GRADE**

*See Page 8 for OD & ID Dimensions*

ITEM #	SIZE	SCHEDULE	LENGTH	ALLOY
41050-5086	1/2	40	20 Ft	5086H32 Drawn Seamless
41058-5086	1/2	80	20 Ft	5086H32 Drawn Seamless
41075-5086	3/4	40	20 Ft	5086H32 Drawn Seamless
41078-5086	3/4	80	20 Ft	5086H32 Drawn Seamless
41100-5086	1	40	20 Ft	5086H32 Drawn Seamless
41108-5086	1	80	20 Ft	5086H32 Drawn Seamless
41125-5086	1 1/4	40	20 Ft	5086H32 Drawn Seamless
41128-5086	1 1/4	80	20 Ft	5086H32 Drawn Seamless
41150-5086	1 1/2	40	20 Ft	5086H32 Drawn Seamless
41158-5086	1 1/2	80	20 Ft	5086H32 Drawn Seamless
41200-5086	2	40	20 Ft	5086H32 Drawn Seamless
41208-5086	2	80	20 Ft	5086H32 Drawn Seamless
41250-5086	2 1/2	40	20 Ft	5086H32 Drawn Seamless
41258-5086	2 1/2	80	20 Ft	5086H32 Drawn Seamless
41300-5086	3	40	20 Ft	5086H32 Drawn Seamless
41308-5086	3	80	20 Ft	5086H32 Drawn Seamless
41350-5086	3 1/2	40	20 Ft	5086H32 Drawn Seamless
41359-5086	3 1/2	80	20 Ft	5086H32 Drawn Seamless
41400-5086	4	40	20 Ft	5086H32 Drawn Seamless
41408-5086	4	80	20 Ft	5086H32 Drawn Seamless
41500-5086	5	40	20 Ft	5086H32 Drawn Seamless
41508-5086	5	80	20 Ft	5086H32 Drawn Seamless
41600-5086	6	40	20 Ft	5086H32 Drawn Seamless
41608-5086	6	80	20 Ft	5086H32 Drawn Seamless
41800-5086	8	40	20 Ft	5086H32 Drawn Seamless
41808-5086	8	80	20 Ft	5086H32 Drawn Seamless
41114-5086	10	40	20 Ft	5086H32 Drawn Seamless
41118-5086	10	80	20 Ft	5086H32 Drawn Seamless
41124-5086	12	40	20 Ft	5086H32 Drawn Seamless

**MTR's Provided upon request**

*For Marine Use...*





2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • [www.adimetal.com](http://www.adimetal.com)

5086 - H116

5083 - H116

5086 - QQ-A-250/7 ASTM B928

5083 - QQ-A-250/6 ASTM B928

**MTR's Provided upon request**

## Sheet & Plate

### MARINE GRADE - ABS

THICKNESS	SIZE	THICKNESS	SIZE
.125	4 Ft x 20 Ft	.313	5 Ft x 20 Ft
.125	5 Ft x 20 Ft	.313	6 Ft x 20 Ft
.125	6 Ft x 20 Ft	.313	7 Ft x 20 Ft
.125	7 Ft x 20 Ft	.313	8 Ft x 20 Ft
.125	8 Ft x 20 Ft	.375	4 Ft x 20 Ft
.160	4 Ft x 20 Ft	.375	5 Ft x 20 Ft
.160	5 Ft x 20 Ft	.375	6 Ft x 20 Ft
.160	6 Ft x 20 Ft	.375	7 Ft x 20 Ft
.160	7 Ft x 20 Ft	.375	8 Ft x 20 Ft
.160	8 Ft x 20 Ft	.500	4 Ft x 20 Ft
.190	4 Ft x 20 Ft	.500	5 Ft x 20 Ft
.190	5 Ft x 20 Ft	.500	6 Ft x 20 Ft
.190	6 Ft x 20 Ft	.500	7 Ft x 20 Ft
.190	7 Ft x 20 Ft	.500	8 Ft x 20 Ft
.190	8 Ft x 20 Ft	.625	6 Ft x 20 Ft
.250	4 Ft x 20 Ft	.750	4 Ft x 20 Ft
.250	5 Ft x 20 Ft	.750	5 Ft x 20 Ft
.250	6 Ft x 20 Ft	.750	6 Ft x 20 Ft
.250	7 Ft x 20 Ft	1.00	4 Ft x 20 Ft
.250	8 Ft x 20 Ft	1.00	6 Ft x 20 Ft
.313	4 Ft x 20 Ft		

**OTHER SIZES AVAILABLE**

**MANY CUT SIZES AVAILABLE**

*For Marine Use...*

**Toll Free: 1-866-825-9271 • Broward: 1-954-523-6474 • Dade: 1-305-945-2801 • Fax: 1-954-779-7355**



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • [www.adimetal.com](http://www.adimetal.com)

QQ-A-200/5 ASTM B221

MTR's Provided upon request

**Flat Bar 5086-H111**

**MARINE GRADE**

ITEM #	SIZE	LENGTH	WT FT
21125-5086	1 x 1/8	20 Ft	0.1500
21188-5086	1 x 3/16	20 Ft	0.2240
21250-5086	1 x 1/4	20 Ft	0.3000
21500-5086	1 x 1/2	20 Ft	0.6000
215125-5086	1 1/2 x 1/8	20 Ft	0.2240
215188-5086	1 1/2 x 3/16	20 Ft	0.3380
215250-5086	1 1/2 x 1/4	20 Ft	0.4500
20125-5086	2 x 1/8	20 F	0.3000
20188-5086	2 x 3/16	20 Ft	0.4420
20250-5086	2 x 1/4	20 Ft	0.6000
20375-5086	2 x 3/8	20 Ft	0.9000
20500-5086	2 x 1/2	20 Ft	1.2000
225250-50865	2 1/2 x 1/4	20 Ft	0.7350
23188-5086	3 x 3/16	20 Ft	0.6770
230250-5086	3 x 1/4	20 Ft	0.9000
230375-5086	3 x 3/8	20 Ft	1.3500
230500-5086	3 x 1/2	20 Ft	1.8000
240188-5086	4 x 3/16	20 Ft	0.8980
240250-5086	4 x 1/4	20 Ft	1.1980
240375-5086	4 x 3/8	20 Ft	1.8000
240500-5086	4 x 1/2	20 Ft	2.4000
24075-5086	4 x 3/4	20 Ft	3.5280
250250-5086	5 x 1/4	20 Ft	1.5000
250500-5086	5 x 1/2	20 Ft	3.0000
250750-5086	5 x 3/4	20 Ft	4.4750
260250-5086	6 x 1/4	20 Ft	1.7640
260375-5086	6 x 3/8	20 Ft	2.6460
260500-5086	6 x 1/2	20 Ft	3.5280

*For Marine Use...*



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • [www.adimetal.com](http://www.adimetal.com)

WW-T-700/5 ASTM B210

MTR's Provided upon request



## Round Tube 5086 - H32

*marine grade*

ITEM NO.	SIZE	LENGTH / ALLOY	
53250-5086	3 x 1/4	20 Ft / 5086H32	Drawn Seamless
53375-5086	3 x 3/8	20 Ft / 5086H32	Drawn Seamless
53500-5086	3 x 1/2	20 Ft / 5086H32	Drawn Seamless
54025-5086	4 x 1/4	20 Ft / 5086H32	Drawn Seamless
54500-5086	4 x 1/2	20 Ft / 5086H32	Drawn Seamless
545025-5086	4 1/2 x 1/4	20 Ft / 5086H32	Drawn Seamless
500250-5086	5 x 1/4	20 Ft / 5086H32	Drawn Seamless
55500-5086	5 x 1/2	20 Ft / 5086H32	Drawn Seamless
550500-5086	5 1/2 x 1/2	20 Ft / 5086H32	Drawn Seamless
600250-5086	6 x 1/4	20 Ft / 5086H32	Drawn Seamless
600375-5086	6 x 3/8	20 Ft / 5086H32	Drawn Seamless
600500-5086	6 x 1/2	20 Ft / 5086H32	Drawn Seamless
650500-5086	6 1/2 x 1/2	20 Ft / 5086H32	Drawn Seamless
800500-5086	8 x 1/2	20 Ft / 5086H32	Drawn Seamless
100250-5086	10 x 1/4	20 Ft / 5086H32	Drawn Seamless
100375-5086	10 x 3/8	20 Ft / 5086H32	Drawn Seamless
100500-5086	10 x 1/2	16 Ft / 5086H32	Drawn Seamless
120500-5086	12 x 1/2	12 Ft / 5086H32	Drawn Seamless

QQ-A-200/5 ASTM B221

## Round Rod 5086 - H111

*marine grade*



ITEM NO.	SIZE	LENGTH	ALLOY
71050-5086	1/2	20 Ft	5086H111
71626-5086	5/8	20 Ft	5086H111
71750-5086	3/4	20 Ft	5086H111
71100-5086	1	20 Ft	5086H111
71250-5086	1 1/4	12 Ft	5086H111
71255-5086	1 1/4	20 Ft	5086H111
71150-5086	1 1/2	20 Ft	5086H111
72200-5086	2	20 Ft	5086H111
72250-5086	2 1/2	12 Ft	5086H111
72300-5086	3	12 Ft	5086H111
72325-5086	3 1/4	12 Ft	5086H111
72350-5086	3 1/2	12 Ft	5086H111
72400-5086	4	12 Ft	5086H111
72500-5086	5	12 Ft	5086H111
72600-5086	6	12 Ft	5086H111

*For MarineUse...*



ASTM A276/479    QQ-S-763

## **316L Stainless Steel Angle** 20 FT RANDOM LENGTHS

ITEM #	SIZE	LENGTH
11520-SS	1 x 1 x 1/8	20 ft.
12540-SS	1 x 1 x 3/16	20 ft.
12550-SS	1 x 1 x 1/4	20 ft.
12570-SS	1 1/4 x 1 1/4 x 3/16	20 ft.
11620-SS	1 1/2 x 1 1/2 x 1/8	20 ft.
12640-SS	1 1/2 x 1 1/2 x 3/16	20 ft.
12642-SS	1 1/2 x 1 1/2 x 1/4	20 ft.
11720-SS	2 x 2 x 1/8	20 ft.
12730-SS	2 x 2 x 3/16	20 ft.
12740-SS	2 x 2 x 1/4	20 ft.
12840-SS	3 x 3 x 1/4	20 ft.

**Hot Rolled, Annealed and Pickled**

*For Marine & Industrial Uses...*

**Broward: (954) 523-6474    Dade: (305) 945-2801    Fax: (954) 779-7355**



ASTM A276/479    QQ-S-763

## 316L Stainless Steel Bar

ITEM #	SIZE	LENGTH
21102-SS	1 x $\frac{1}{8}$	12 ft.
21110-SS	1 x $\frac{3}{16}$	12 ft.
21112-SS	1 x $\frac{1}{4}$	12 ft.
22130-SS	1 $\frac{1}{2}$ x $\frac{3}{16}$	12 ft.
22148-SS	1 $\frac{1}{2}$ x $\frac{1}{4}$	12 ft.
22175-SS	1 $\frac{1}{2}$ x $\frac{3}{8}$	12 ft.
22202-SS	2 x $\frac{1}{8}$	12 ft.
22203-SS	2 x $\frac{3}{16}$	12 ft.
22204-SS	2 x $\frac{1}{4}$	12 ft.
22206-SS	2 x $\frac{3}{8}$	12 ft.
22208-SS	2 x $\frac{1}{2}$	12 ft.
22254-SS	2 $\frac{1}{2}$ x $\frac{1}{4}$	12 ft.
22300-SS	3 x $\frac{1}{8}$	12 ft.
22303-SS	3 x $\frac{3}{16}$	12 ft.
22304-SS	3 x $\frac{1}{4}$	12 ft.
22306-SS	3 x $\frac{3}{8}$	12 ft.
22308-SS	3 x $\frac{1}{2}$	12 ft.
22402-SS	4 x $\frac{1}{8}$	12 ft.
22403-SS	4 x $\frac{3}{16}$	12 ft.
22404-SS	4 x $\frac{1}{4}$	12 ft.
22406-SS	4 x $\frac{3}{8}$	12 ft.
22604-SS	6 x $\frac{1}{4}$	12 ft.
22606-SS	6 x $\frac{3}{8}$	12 ft.
22608-SS	6 x $\frac{1}{2}$	12 ft.
22610-SS	6 x $\frac{3}{4}$	12 ft.
22804-SS	8 x $\frac{1}{4}$	12 ft.
23104-SS	10 x $\frac{1}{4}$	12 ft.
23124-SS	12 x $\frac{1}{4}$	12 ft.

*For Marine & Industrial Uses...*

**Broward: (954) 523-6474    Dade: (305) 945-2801    Fax: (954) 779-7355**



ASTM A-53

## 316L Stainless Steel Pipe - WELDED

ITEM #	SIZE	SCHEDULE	LENGTH
41012-SS	1/8	40	20 ft.
41026-SS	1/4	40	20 ft.
41038-SS	3/8	40	20 ft.
41050-SS	1/2	40	20 ft.
41072-SS	3/4	10	20 ft.
41075-SS	3/4	40	20 ft.
41078-SS	3/4	80	20 ft.
41102-SS	1	10	20 ft.
41100-SS	1	40	20 ft.
41108-SS	1	80	20 ft.
41128-SS	1 1/4	40	20 ft.
41129-SS	1 1/4	80	20 ft.
41158-SS	1 1/2	40	20 ft.
41159-SS	1 1/2	80	20 ft.
41200-SS	2	40	20 ft.
41208-SS	2	80	20 ft.
41256-SS	2 1/2	40	20 ft.
41258-SS	2 1/2	80	20 ft.
41301-SS	3	40	20 ft.
41350-SS	3 1/2	40	20 ft.
41450-SS	4	40	20 ft.

*For Marine & Industrial Uses...*



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • [www.adimetal.com](http://www.adimetal.com)

ASTM A-276-479

## 316L Stainless Steel Round Rod

ITEM #	SIZE	LENGTH
72125-SS	1/8	12 ft.
72188-SS	3/16	12 ft.
72250-SS	1/4	12 ft.
72313-SS	5/16	12 ft.
72375-SS	3/8	12 ft.
72500-SS	1/2	12 ft.
72625-SS	5/8	12 ft.
72750-SS	3/4	12 ft.
72100-SS	1	12 ft.
721250-SS	1 1/4	12 ft.
72150-SS	1 1/2	12 ft.
72200-SS	2	12 ft.
722250-SS	2 1/2	12 ft.

## 316L Stainless Steel Polished Tube 20 & 24 FT. Polished & Buffed Mirror Finish

ITEM #	SIZE	SHAPE	LENGTH
75065-SS	3/4 x .065	Round Tube	20 - 24 ft.
87565-SS	7/8 x .065	Round Tube	20 - 24 ft.
10065-SS	1 x .065	Round Tube	20 - 24 ft.
10083-SS	1 x .083	Round Tube	20 - 24 ft.
112565-SS	1 1/8 x .065	Round Tube	20 - 24 ft.
12583-SS	1 1/4 x .083	Round Tube	20 - 24 ft.
125120-SS	1 1/4 x .120	Round Tube	20 - 24 ft.
15066-SS	1 1/2 x .065	Round Tube	20 - 24 ft.
15083-SS	1 1/2 x .083	Round Tube	20 - 24 ft..
15120-SS	1 1/2 x .120	Round Tube	20 - 24 ft.
20083-SS	2 x .083	Round Tube	20 - 24 ft.

*For Marine & Industrial Uses...*

**Broward: (954) 523-6474 Dade: (305) 945-2801 Fax: (954) 779-7355**




## 316L Stainless Steel Sheet (2B FINISH)

ITEM #	SIZE	WEIGHT
62248-SS	22 Ga. (.029") x 4 ft x 8 ft	316 lbs
61040-SS	18 Ga. (.048") x 4 ft x 8 ft	64.50 lbs
61044-SS	18 Ga. (.048") x 4 ft x 10 ft	80.62 lbs
61064-SS	16 Ga. (.060") x 4 ft x 8 ft	79.95 lbs
61066-SS	16 Ga. (.060") x 4 ft x 10 ft	99.94 lbs
61098-SS	12 Ga. (.105") x 4 ft x 8 ft	141.08 lbs
61090-SS	12 Ga. (.105") x 4 ft x 10 ft	176.36 lbs
61148-SS	11 Ga. (.120") x 4 ft x 8 ft	161.24 lbs
61121-SS	11 Ga. (.120") x 4 ft x 10 ft	201.55 lbs
61192-SS	7 Ga. (.179") x 4 ft x 8 ft	251.33 lbs
61193-SS	7 Ga. (.179") x 4 ft x 10 ft	314.16 lbs

\*Other Sizes Available Upon Request\*  
Offer #8 Mirror Finish (Special Order)  
Plasma / Waterjet Cutting Available

## 316L Stainless Steel 90deg Elbows (MILL)

ITEM #	SIZE
75065-SSEL	¾" OD x .065" Wall
10065-SSEL	1" OD x .065" Wall
12565-SSEL	1-1/4" OD x .065" Wall
15066-SSEL	1-1/2" OD x .065" Wall
10083-SSEL	2" OD x .065" Wall



*For Marine & Industrial Uses...*





ASTM A-167/240

## 316L Stainless Steel Plate (MILL)

ITEM #	SIZE	WEIGHT LBS
61248-SS	¼ x 4 ft x 8 ft	357.184
61249-SS	¼ x 4 ft x 10 ft	446.48
61250-SS	¼ x 4 ft x 12 ft	535.776
62376-SS	⅜ x 4 ft x 8 ft	527.872
62377-SS	⅜ x 4 ft x 10 ft	659.84
61375-SS	⅜ x 4 ft x 12 ft	791.808
66546-SS	½ x 4 ft x 8 ft	693.216
66547-SS	½ x 4 ft x 10 ft	866.52
66548-SS	½ x 4 ft x 12 ft	1039.824
60625-SS	⅝ x 4 ft x 8 ft	858.56
60626-SS	⅝ x 4 ft x 10 ft	1073.20
60627-SS	⅝ x 4 ft x 12 ft	1287.84
60750-SS	¾ x 4 ft x 8 ft	1027.84
60751-SS	¾ x 4 ft x 10 ft	1284.80
60752-SS	¾ x 4 ft x 12 ft	1541.76
61100-SS	1 x 4 ft x 8 ft	1365.44
61101-SS	1 x 4 ft x 10 ft	1706.80
61102-SS	1 x 4 ft x 12 ft	2048.16

\*Other Sizes Available Upon Request\*  
Offer #8 Mirror Finish (Special Order)  
Plasma / Waterjet Cutting Available

*For Marine & Industrial Uses...*

**Broward: (954) 523-6474 Dade: (305) 945-2801 Fax: (954) 779-7355**



## COMPARISON OF GAUGES

Gauge	United States Std.	USS Rev.	Thickness Equivalent Galv. Sheet	Brown and Sharpe	Oz./ Sq. Ft.	Decimal Equivalent
	Stainless Steel Monel Nickel	Galvanized Cold Rolled Hot Rolled Steel Sheet	After Galvanizing	Aluminum Brass Bronze	Copper	
30	.0125	.0120	.0157	.0100	8	.0108
29	.0140	.0135	.0172	.0113	-	-
28	.0156	.0149	.0187	.0126	10	.0135
27	.0171	.0164	.0202	.0142	12	.0162
26	.0187	.0179	.0217	.0159	14	.0189
25	.0218	.0209	.0247	.0179	16	.0216
24	.0250	.0239	.0276	.0201	18	.0243
23	.0281	.0269	.0306	.0226	20	.0270
22	.0312	.0299	.0336	.0253	-	-
21	.0343	.0329	.0366	.0285	24	.0323
20	.0375	.0359	.0396	.0320	28	.0377
19	.0437	.0418	.0456	.0359	32	.0431
18	.0500	.0478	.0516	.0403	-	-
17	.0562	.0538	.0575	.0453	36	.0485
16	.0625	.0598	.0635	.0508	40	.0539
15	.0703	.0673	.0710	.0571	48	.0647
14	.0781	.0747	.0785	.0641	64	.0863
13	.0937	.0897	.0934	.0720	3/32	.0937
12	.1093	.1046	.1084	.0808	-	-
11	.1250	.1196	.1233	.0907	1/8	.1250
10	.1406	.1345	.1382	.1019	-	-
7	.1875	.1793	-	.1443	-	-
3	.2500	.2391	-	.2294	-	-

*For Marine & Industrial Uses...*

**NOTES:**

**NOTES:**