



**ALUMINUM
DISTRIBUTING,
INC.**



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • www.adimetal.com

Table of Contents

Page 2	Equal & Unequal Angle – Structural & Architectural
Page 3	Flat Bar – Structural and Architectural
Page 4	“U” Channel, I-Beam and Tee
Page 5	Round Tube
Page 6	Square and Rectangular Tube
Page 7	Pipe: Mill Finish, Bright Dip Anodized, Brushed
Page 8	Round Rod and Square Bar
Page 9	Flat Sheet
Page 10	Sheet – Cut Pieces and Expanded
Page 11	Tread Plate, Anodized Angle and Flat Bar
Page 12	Marine Mouldings
Page 13	Mirror & Glass Mouldings
Page 14	Speed – Rail Fittings, Piano Hinges
Page 15	Butt Weld Fitting & Flanges
Page 16	5086 Angles and Pipe
Page 17	5086 Sheet and Plate
Page 18	5086 Flat Bar
Page 19	5086 Round Tube and Round Rod

For Marine & Industrial Uses...

Toll Free: 1-866-825-9271 • Broward: 1-954-523-6474 • Dade: 1-305-945-2801 • Fax: 1-954-779-7355



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • www.adimetal.com



QQ-A-200/9

ASTM B221



QQ-A-200/8

ASTM B308

**Equal Angle Architectural
(6063-T5)**

ITEM #	DESCRIPTION	LENGTH	WT FT
11400	1/2 x 1/2 x 1/16	16'	.070
11420	1/2 x 1/2 x 1/8	20'	.131
11450	3/4 x 3/4 x 1/16	20'	.107
11460	3/4 x 3/4 x 1/8	20'	.206
11500	1 x 1 x 1/16	20'	.144
11520	1 x 1 x 1/8	20'	.281
11560	1 1/4 x 1 1/4 x 1/8	20'	.356
11616	1 1/2 x 1 1/2 x 1/16	16'	.218
11620	1 1/2 x 1 1/2 x 1/8	20'	.431
11642	1 1/2 x 1 1/2 x 3/16	20'	.634
11680	1 3/4 x 1 3/4 x 1/8	20'	.506
11716	2 x 2 x 1/16	16'	.293
11720	2 x 2 x 1/8	20'	.581
11725	2 x 2 x 1/4	20'	1.126
11820	3 x 3 x 1/8	20'	.881

**Equal Angle Structural
(6061-T6)**

ITEM #	DESCRIPTION	LENGTH	WT FT
12540	1 x 1 x 3/16	25'	.410
12550	1 x 1 x 1/4	25'	.514
12570	1 1/4 x 1 1/4 x 3/16	25'	.512
12640	1 1/2 x 1 1/2 x 3/16	25'	.623
12642	1 1/2 x 1 1/2 x 1/4	25'	.809
12730	2 x 2 x 3/16	25'	.85
12740	2 x 2 x 1/4	25'	1.11
12750	2 x 2 x 3/8	25'	1.611
12745	2 1/2 x 2 1/2 x 1/4	25'	1.399
12836	3 x 3 x 3/16	25'	1.283
12840	3 x 3 x 1/4	25'	1.684
12850	3 x 3 x 3/8	25'	2.474
12860	4 x 4 x 1/4	25'	2.282
12870	4 x 4 x 3/8	25'	3.367
12900	6 x 6 x 3/8	25'	5.119



QQ-A-200/9

ASTM B221



QQ-A-200/8

ASTM B308

**Unequal Angle Architectural
(6063-T5)**

ITEM #	DESCRIPTION	LENGTH	WT FT
11007	1/2 x 3/4 x 1/16	16'	0.090
11010	1/2 x 1 x 1/8	20'	0.206
11040	3/4 x 1 1/2 x 1/8	20'	0.319
11070	1 x 1 1/2 x 1/8	20'	0.356
11200	1 x 2 x 1/8	20'	0.431
11130	1 x 3 x 1/8	20'	0.582
11230	2 x 3 x 1/8	20'	0.731
11248	2 x 4 x 1/8	20'	0.882
11360	2 x 5 x 1/8	20'	1.031

**Unequal Angle Structural
(6061-T6)**

ITEM #	DESCRIPTION	LENGTH	WT FT
12260	2 x 3 x 1/4	25'	1.403
12340	3 x 4 x 1/4	25'	1.988
12350	3 x 5 x 3/8	25'	3.349
12460	4 x 6 x 3/8	25'	4.237

For Marine & Industrial Uses...



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • www.adimetal.com

QQ-A-200/8

ASTM B308

QQ-A-200/9

ASTM B221


Flat Bar Structural - 6061-T6511			
ITEM #	DESCRIPTION	LENGTH	WT FT
22103	1 x ³ / ₁₆	12'	.226
22105	1 x ¹ / ₄	12'	.300
22106	1 x ³ / ₈	12'	.450
22108	1 x ¹ / ₂	12'	.600
22146	1 ¹ / ₂ x ³ / ₈	12'	.662
22148	1 ¹ / ₂ x ¹ / ₂	12'	.900
22203	2 x ³ / ₁₆	12'	.442
22204	2 x ¹ / ₄	12'	.600
22206	2 x ³ / ₈	12'	.882
22208	2 x ¹ / ₂	12'	1.200
22216	2 x 1	12'	2.352
22304	3 x ¹ / ₄	12'	.900
22306	3 x ³ / ₈	12'	1.350
22308	3 x ¹ / ₂	12'	1.764
22404	4 x ¹ / ₄	12'	1.200
22406	4 x ³ / ₈	12'	1.800
22408	4 x ¹ / ₂	12'	2.400
22604	6 x ¹ / ₄	12'	1.764
22606	6 x ³ / ₈	12'	2.700
22608	6 x ¹ / ₂	12'	2.600
22804	8 x ¹ / ₄	12'	2.352
22806	8 x ³ / ₈	12'	3.528
22808	8 x ¹ / ₂	12'	4.704
23104	10 x ¹ / ₄	12'	2.940
23106	10 x ³ / ₈	12'	4.410
23108	10 x ¹ / ₂	12'	5.880
23124	12 x ¹ / ₄	12'	3.528
23126	12 x ³ / ₈	12'	5.292
23128	12 x ¹ / ₂	12'	7.056
23136	12 x ³ / ₄	12'	10.584
23160	12 x 1	12'	14.112
23170	14 x ¹ / ₄	12'	4.116
23180	14 x ¹ / ₂	12'	8.232

Flat Bar Architectural - 6063-T5			
ITEM #	DESCRIPTION	LENGTH	WT FT
21052	¹ / ₂ x ¹ / ₈	20'	.076
21072	³ / ₄ x ¹ / ₈	16'	.114
21100	1 x ¹ / ₁₆	12'	.074
21102	1 x ¹ / ₈	16'	.151
21110	1 x ¹ / ₄	20'	.300
21103	1 x ³ / ₁₆	20'	.224
21120	1 ¹ / ₄ x ¹ / ₈	20'	.187
21142	1 ¹ / ₂ x ¹ / ₈	20'	.225
21143	1 ¹ / ₂ x ³ / ₁₆	16'	.338
21144	1 ¹ / ₂ x ¹ / ₄	20'	.450
21201	2 x ¹ / ₈	20'	.300
21203	2 x ³ / ₁₆	20'	.451
21205	2 x ¹ / ₄	20'	.600
21302	3 x ¹ / ₈	16'	.450
21303	3 x ³ / ₁₆	20'	.677
21401	4 x ¹ / ₈	20'	.600
21403	4 x ³ / ₁₆	20'	.902
21602	6 x ¹ / ₈	20'	.900

For Marine & Industrial Uses...




**DIMENSIONS
ARE O.D.**



“U” Channel		Architectural (6063-T5)	
ITEM #	L T W DESCRIPTION	LTH.	WT FT
31056	1/2 x 1/2 x 1/2 x 1/16	20'	.084
31075	3/4 x 1/2 x 3/4 x 1/8	20'	.263
31078	3/4 x 3/4 x 3/4 x 1/8	20'	.300
31105	1/2 x 1 x 1/2 x 1/8	20'	.263
31112	1 x 1 x 1 x 1/8	20'	.413
31120	2 x 1 x 2 x 1/8	20'	.713
31125	1/2 x 1 1/4 x 1/2 x 1/8	20'	.300
31133	1 1/4 x 1 1/4 x 1 1/4 x 1/8	20'	.526
31159	1 1/2 x 1 1/2 x 1 1/2 x 1/8	20'	.637
31180	1 x 1 3/4 x 1 x 1/8	20'	.524
31205	1/2 x 2 x 1/2 x 1/8	20'	.413
31214	1 x 2 x 1 x 1/8	24'	.563
31314	1 x 3 x 1 x 1/8	24'	.713
31410	1 x 4 x 1 x 1/8	20'	.793

“U” Channel		Structural (6061-T6)	
ITEM #	DESCRIPTION	LENGTH	WT FT
32300	3 x 1.41 x .170	25'	1.417
32400	4 x 1.58 x .180	25'	1.846
32410	4 x 1.72 x .320	25'	2.505
32600	6 x 1.92 x .200	25'	2.822
32602	6 x 2.034 x .314	25'	3.634
32801	8 x 2.29 x .250	25'	4.257
32950	10 x 2.60 x .240	25'	5.28
32958	12 x 2.96 x .300	25'	7.415

**Beams Structural
6061-T6**



ITEM #	DESCRIPTION	LENGTH	WT FT
33014	3 x 2.50 x .150/.260 A.A. Beam	25'	2.071
33150	4 x 4 x .313 H-Beam	25'	4.757
33165	6 x 6 x .240 Wide Flange	25'	5.401

Tee Structural & Architectural

ITEM #	DESCRIPTION	LENGTH	WT FT
99310	1 x 1 x 1/8 - ARCHITECTURAL - 6063-T5	20'	.281
99315	1 1/2 x 1 1/2 x 3/16 - STRUCTURAL - 6061-T6	25'	.700
99320	2 x 2 x 1/4 - STRUCTURAL - 6061-T6	25'	1.26

For Marine & Industrial Uses...



Round Tube

ITEM #	DESCRIPTION	LENGTH	TYPE	ALLOY
52051	1/2 x .049	21'	EXTRUDED	6063-T6
52058	5/8 x .049	20'	EXTRUDED	6063-T5
52075	3/4 x .050	20'	EXTRUDED	6063-T5
52085	7/8 x .049	20'	SERRATED	6063-T5
52086	1 x .049	20'	SERRATED	6063-T5
52092-B	1 x .062	12'	BDA	6463-T5
52094	1 x .062	24'	EXTRUDED	6060-T6
52100	1 x .125	24'	EXTRUDED	6063-T5
52128	1 1/4 x .062	24'	EXTRUDED	6060-T6
52155	1 1/2 x .125	24'	EXTRUDED	6061-T6
52156	1 1/2 x .125	24'	EXTRUDED	6063-T5
52190	2 x .050	24'	EXTRUDED	6063-T5
52201	2 x .125	24'	EXTRUDED	6061-T6
52202	2 x .125	24'	EXTRUDED	6063-T5
52250	2 1/2 x .125	24'	EXTRUDED	6061-T6
52319	3 x .125	24'	EXTRUDED	6061-T6
52318	3 x .125	24'	EXTRUDED	6063-T5
52400	4 x .125	24'	EXTRUDED	6063-T5
52500	5 x .125	24'	EXTRUDED	6063-T5
52600	6 x .125	20'	EXTRUDED	6063-T5

For Marine & Industrial Uses...



Square Tube 6063-T52 & 6061-T6

ITEM #	DESCRIPTION	LENGTH	ALLOY	WT FT
53050	1/2 x 1/2 x 1/16	24'	6063-T5	.130
53075	3/4 x 3/4 x .055	24'	6063-T5	.183
53079	3/4 x 3/4 x 1/8	24'	6063-T5	.376
53100	1 x 1 x .050	24'	6063-T5	.280
53108	1 x 1 x 1/8	24'	6063-T5	.526
53125	1 1/4 x 1 1/4 x 1/8	24'	6063-T5	.675
53150	1 1/2 x 1 1/2 x 1/8	24'	6063-T5	.826
53175	1 3/4 x 1 3/4 x 1/8	24'	6063-T5	.975
53218	2 x 2 x 1/8	24'	6063-T5	1.126
53214†	2 x 2 x 1/4	24'	6061-T6	2.100
53227	2 1/4 x 2 1/4 x .095	24'	6063-T5	.982
53232†	2.45 x 2.45 x .250	18'	6061-T6	2.64
53299	3 x 3 x 1/8	24'	6063-T5	1.726
53314†	3 x 3 x 1/4	24'	6061-T6	3.300
53418	4 x 4 x 1/8	24'	6063-T5	2.326
53425†	4 x 4 x 1/4	24'	6061-T6	4.410
53618	6 x 6 x 1/8	24'	6063-T5	3.525

† **6061-T6 (All Others 6063-T52)** **Mill Finish (ALLOY AS INDICATED)**

Rectangular Tube (6063-T5)



ITEM #	DESCRIPTION	LENGTH	WT FT
53510	1/2 x 1 x .093	24'	.293
53605	3/4 x 1 1/2 x 1/8	24'	.600
53614	1 x 2 x 1/8	24'	.825
53713	1 x 3 x 1/8	24'	1.126
53814	1 x 4 x 1/8	24'	1.426
53650	1 1/4 x 2 1/2 x 1/8	24'	1.050
53715	1 1/2 x 2 x 1/8	24'	.967
53717	1 1/2 x 3 x 1/8	24'	1.274
53730	2 x 3 x 1/8	24'	1.426
53840	2 x 4 x 1/8	24'	1.726
53844	2 x 4 x 1/4	24'	3.30
53949	2 x 5 x 1/8	24'	2.026
53963	2 x 6 x 1/8	24'	2.326

For Marine & Industrial Uses...



Pipe: 6063-T52 & 6061-T6 Mill Finish (ALLOY AS INDICATED)

ITEM #	SIZE	SCHEDULE	LENGTH	WT FT	O.D.	I.D.	WALL
41012	1/8"	40	12'	.085	.405	.269	.068
41026†	1/4"	40	12'	.147	.540	.364	.088
41038	3/8"	40	20'	.196	.675	.493	.091
41050	1/2"	40	20'	.294	.840	.622	.109
41075	3/4"	40	20'	.391	1.050	.824	.113
41100	1"	40	20'	.581	1.315	1.049	.133
41108†	1"	80	20'	.751	1.315	.957	.179
41125	1 1/4"	40	20'	.786	1.660	1.380	.140
41128†	1 1/4"	80	20'	1.037	1.660	1.278	.191
41152	1 1/2"	10	20'	.721	1.900	1.682	.109
41150	1 1/2"	40	20'	.940	1.900	1.610	.145
41158†	1 1/2"	80	20'	1.256	1.900	1.500	.200
41200	2"	40	20'	1.264	2.375	2.067	.154
41208†	2"	80	20'	1.737	2.375	1.939	.218
41256†	2 1/2"	40	20'	2.004	2.875	2.469	.203
41258†	2 1/2"	80	20'	2.650	2.875	2.323	.276
41300†	3"	40	20'	2.621	3.500	3.068	.216
41308†	3"	80	20'	3.547	3.500	2.900	.300
41350†	3 1/2"	40	20'	3.151	4.000	3.548	.226
41358†	3 1/2"	80	20'	4.326	4.000	3.364	.318
41400†	4"	40	20'	3.733	4.500	4.026	.237
41500†	5"	40	20'	5.057	5.563	5.047	.258
41600†	6"	40	20'	6.564	6.625	6.065	.280

† 6061-T6 (All Others 6063-T52)

Pipe: Bright Dip Anodized or Brushed Finish

ITEM #	SIZE	SCHEDULE	LENGTH	O.D.	I.D.	WALL
49052-B	1/2"	40	23'	.840	.622	.109
49076-B	3/4"	40	23'	1.050	.824	.113
49103-B	1"	40	23'	1.315	1.049	.133
49123-B	1 1/4"	40	23'	1.660	1.380	.140
49153-B	1 1/2"	40	23'	1.900	1.610	.145
49203-B	2"	40	23'	2.375	2.067	.154

For Marine & Industrial Uses...



Round Rod (ALLOY AS INDICATED)

ITEM #	DIAMETER	ALLOY	LENGTH	WT FT
72018	1/8"	6061-T6511	12'	.015
72190	3/16"	6061-T6511	12'	.032
71022	1/4"	6063-T5	12'	.062
71031	5/16"	6063-T5	16'	.094
71038	3/8"	6063-T5	20'	.132
71050	1/2"	6063-T5	20'	.235
72056	1/2"	6061-T6511	12'	.235
72058	5/8"	6061-T6511	12'	.361
72075	3/4"	6061-T6511	12'	.520
72100	1"	6061-T6511	12'	.924
72125	1 1/4"	6061-T6511	12'	1.443
72150	1 1/2"	6061-T6511	12'	2.078
72200	2"	6061-T6511	12'	3.695
72250	2 1/2"	6061-T6511	12'	5.773
72300	3"	6061-T6511	12'	8.313
72400	4"	6061-T6511	12'	14.808
72600	6"	6061-T6511	12'	33.25

Square Bar (ALLOY AS INDICATED)

ITEM #	DESCRIPTION	ALLOY	LENGTH	WT FT
21906	3/8 x 3/8	6063-T5	20'	0.169
24008	1/2 x 1/2	6061-T6511	12'	0.300
24012	3/4 x 3/4	6061-T6511	12'	0.662
24016	1 x 1	6061-T6511	12'	1.176
24150	1 1/2 x 1 1/2	6061-T6511	12'	2.646
24200	2 x 2	6061-T6511	12'	4.800
24300	3 x 3	6061-T6511	12'	10.80


For Marine & Industrial Uses...



Flat Sheet (ALLOY AS INDICATED)

6061 - QQ-A-250/11 ASTM B209
3003 - QQ-A-250/2 ASTM B209
5052 - QQ-A-250/8 ASTM B209

ITEM #	DESCRIPTION	SIZE	TYPE	ALLOY
61019	.019	4' x 8'	SHEET	3003-H14
61031	.032	4' x 10'	SHEET	3003-H14
61040	.040	4' x 8'	SHEET	3003-H14
61044	.040	4' x 10'	SHEET	3003-H14
61057	.050	4' x 10'	SHEET	3003-H14
61064	.063	4' x 8'	SHEET	5052-H32
61066	.063	4' x 10'	SHEET	3003-H14
61068	.063	4' x 12'	SHEET	5052-H32
61080	.080	4' x 10'	SHEET	3003-H14
61089	.090	4' x 8'	SHEET	3003-H14
61098	.090	4' x 8'	SHEET	5052-H32
61090	.090	4' x 10'	SHEET	3003-H14
61092	.090	4' x 12'	SHEET	5052-H32
61120	.125	4' x 8'	SHEET	3003-H14
61127	.125	4' x 8'	SHEET	5052-H32
61121	.125	4' x 10'	SHEET	3003-H14
61129	.125	4' x 10'	SHEET	5052-H32
61122	.125	4' x 12'	SHEET	5052-H32
61123	.125	4' x 12'	SHEET	6061-T6
61125	.125	5' x 12'	SHEET	5052-H32
61190	.190	4' x 12'	SHEET	5052-H32
61196	.190	4' x 12'	SHEET	6061-T6
61247	.250	4' x 8'	PLATE	5052 - H32
61248	.250	4' x 8'	PLATE	3003-H14
61250	.250	4' x 12'	PLATE	5052-H32
61256	.250	4' x 12'	PLATE	6061-T6
61375	.375	4' x 12'	PLATE	6061-T6
66548	.500	4' x 12'	PLATE	6061-T6



Bar Gratings, Painted & Anodized Sheet All Available *please inquire*




For Marine & Industrial Uses...



Cut Sheet & Plate Stock Sizes (ALLOY AS INDICATED)

ITEM #	DESCRIPTION	SIZE	ALLOY
66121	.125	1' x 4'	5052/3003
66122	.125	2' x 4'	5052/3003
66124	.125	4' x 4'	5052/3003
66191	.190	1' x 4'	5052-H32
66192	.190	2' x 4'	5052-H32
66194	.190	4' x 4'	5052-H32
66255	.250	2' x 4'	5052/3003
66258	.250	4' x 4'	5052/3003



Expanded Sheet

ITEM #	DESCRIPTION	SIZE	TYPE
64551	1/2" x .051	4' x 8'	Flattened Expanded
64583	1/2" x .081	4' x 8'	Flattened Expanded
64785	3/4" x .081	4' x 8'	Flattened Expanded
64791	3/4" x .125	4' x 8'	Flattened Expanded
64991	1 1/2" x .125	4' x 8'	Flattened Expanded

Perforated Sheet WHITE PAINTED

ITEM #	DESCRIPTION
64996	.040 x 4' x 8' Perforated Sheet – .087" Dia. Holes - White Pattern #1
64998	.040 x 4' x 8' Perforated Sheet – .100" Dia. Holes - White Pattern #2

BLACK BACKING "QUIT TECH" - NOISE REDUCTION - ENGINE ROOM


For Marine & Industrial Uses...



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • www.adimetal.com

Tread Plate

**NOTE: SIZES AVAILABLE ON SPECIAL ORDER
IN 5086/6061 MARINE GRADE.**



ITEM #	DESCRIPTION	SIZE		ALLOY
66069	.063 (1/16)	4' x 8'	TREAD BRITE	3003
62120	.125 (1/8)	4' x 8'	TREAD BRITE	3003
62121	.125 (1/8)	4' x 10'	TREAD BRITE	3003
62122	.125 (1/8)	4' x 12'	TREAD BRITE	3003
62125	.125 (1/8)	4' x 16'	TREAD BRITE	3003
62116	.125 (1/8)	5' x 20'	5-BAR TREAD	5052
62193	.190 (3/16)	4' x 8'	TREAD BRITE	3003
62196	.190 (3/16)	4' x 16'	TREAD BRITE	3003
62253	.250 (1/4)	4' x 8'	TREAD BRITE	3003
62254	.250 (1/4)	4' x 16'	TREAD BRITE	3003

Anodized Angles*



ITEM #	SIZE	LENGTH	ANODIZED FINISH
91038	3/8 x 3/8 x 1/16	12'	TAL Satin
91050	1/2 x 1/2 x 1/16	16'	B/LUX Brite
91050-G	1/2 x 1/2 x 1/16	12'	GOLD
91051-G	1/2 x 1/2 x 1/16	16'	GOLD
91075	3/4 x 3/4 x 1/16	16'	B/LUX Brite
91109	1 x 1 x 1/16	12'	B/LUX Brite
91057	1/2 x 3/4 x 1/16	16' - in stock	B/LUX Brite
91100	1/2 x 1 x 1/16	12'	B/LUX Brite

Anodized Flat Bars*



ITEM #	SIZE	LENGTH	ANODIZED FINISH
92050	1/2 x 1/16	12'	BRITE DIP
92050-G	1/2 x 1/16	12'	GOLD
92070	3/4 x 1/16	12'	BRITE DIP
92070-G	3/4 x 1/16	16'	GOLD
92070-B	3/4 x 1/16	12'	BRONZE
92100	1 x 1/16	12'	BRITE DIP
92150	1 1/2 x 1/16	12'	BRITE DIP

For Marine & Industrial Uses...



Marine Mouldings*



Oval Boat Moulding



Rubrail



Gunwale



Trailer Rail



Overlap Rubrail

"U" Track



Heavy Hatch Tee's




ITEM #	SIZE	LENGTH	DRILLED	DESCRIPTION
93015	1/2"	12'	Yes	Oval Boat Moulding
93075	3/4"	12'	Yes	Oval Boat Moulding
93101	1"	12'	Yes	Oval Boat Moulding
93125	1 1/4" Flat Black	12'	Yes	Oval Boat Moulding
93150	1 1/2"	12'	Yes	Oval Boat Moulding
93275	3/4"	12'	Yes	Overlap Rubrail
93280	1"	12'	Yes	Overlap Rubrail
98235	3/8" OD - 1/4" ID	12'	No	"U" Channel
96100	Awning Track	20'	No	Trailer Rail - MF
96100-B	Awning Track	20'	No	Trailer Rail BDA
93325	13/16"	12'	Yes	Gunwale
93328	1 1/2"	12'	Yes	Gunwale
98300	1/2"	12'	No	Tee
98375	3/4"	12'	No	Tee
98305	1"	12'	No	Light Tee
98304	1"	12'	No	Heavy Hatch Tee

For Marine & Industrial Uses...



Mirror & Glass Mouldings & Others*




ITEM #	SIZE	LENGTH	DESCRIPTION
98016	5/32" (inside dimension)	8'	Division Bar
98025	1/4" (inside dimension)	8'	Division Bar
98038	3/8" (inside dimension)	16'	Flat Top Division Bar
98053	5/32" (inside dimension)	8'	"J" Moulding
98122	1/4" (inside dimension)	12'	"J" Moulding
98138	3/8" face - (inside dimension)	16'	"J" Moulding
98150	1/2" (inside dimension)	16'	"J" Moulding
98238	3/4" face - (inside dimension)	16'	Long Leg "J" Moulding
98032	5/16"	12'	Lip Nosing (A-271)
98050	1/2"	12'	Lip Nosing (A-272)
98058	5/8"	12'	Lip Nosing (A-273)
98075	3/4"	12'	Lip Nosing (A-275)
98078	7/8"	12'	Lip Nosing (A-36)
98120	1 1/4"	12'	Lip Nosing (A-276)
98159	1 1/2"	12'	Lip Nosing (A-25)
99300	3/8 x 3/8 x 1/2	12'	"Z" Bar
99302	1/2 x 1/2 x 3/4	12'	"Z" Bar
98410	1/2" Diagonal	12'	Cove
98120	3/4" Diagonal	12'	Cove M.F.

For Marine & Industrial Uses...



Speed - Rail Fittings

**More Available
For Pipe Only 3/4" - 2"**




#3 ELL




#5 TEE





#9 SIDE OUTLET




Many Other Styles Available



#47 FLANGE




#7 CROSS



Piano Hinges

**Stainless Steel Hinges
Also Available**

ITEM #	SIZE	LENGTH	MATERIAL
97156	1 1/2 x .040	6'	Aluminum
97205	2 x .050	6'	Aluminum
97306	3 x .062	6'	Aluminum
97310	3 x .125	6'	Aluminum
97410	4 x .125	6'	Aluminum




For Marine & Industrial Uses...




Butt Weld Fittings & Flanges

AVAILABLE 6061 OR 5086 FOR PIPE ONLY



ECCENTRICS




**45 DEGREE
ELBOWS**

BUTT WELD TEES



CONCENTRICS



**90 DEGREE
ELBOWS**

**FLANGES
FLAT FACE
150# DRILLING**



**WELD NECK
FLANGES**



For Marine & Industrial Uses...



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • www.adimetal.com

QQ-A-200/5 ASTM B221

MARINE GRADE

Angles (25 Ft) 5086-H111

**MTR's Provided upon request
ABS / DNV / Lloyds Certified**

ITEM #	SIZE	ITEM #	SIZE
11125-5086	1 x 1 x 1/8	12188-5086	2 x 2 x 3/16
11188-5086	1 x 1 x 3/16	12250-5086	2 x 2 x 1/4
11250-5086	1 x 1 x 1/4	12375-5086	2 x 2 x 3/8
15125-5086	1 1/2 x 1 1/2 x 1/8	13188-5086	3 x 3 x 3/16
15188-5086	1 1/2 x 1 1/2 x 3/16	13250-5086	3 x 3 x 1/4
15250-5086	1 1/2 x 1 1/2 x 1/4	13375-5086	3 x 3 x 3/8
12125-5086	2 x 2 x 1/8	14250-5086	4 x 4 x 1/4

WW-T-700/5 ASTM B210

PIPE 5086-H32

Color Charge - SCHEDULE 40 & 80 - MARINE GRADE

See Page 7 for OD & ID Dimensions

ITEM #	SIZE	SCHEDULE	LENGTH	ALLOY
41050-5086	1/2"	40	20 Ft	5086H32 Drawn Seamless
41058-5086	1/2"	80	20 Ft	5086H32 Drawn Seamless
41075-5086	3/4"	40	20 Ft	5086H32 Drawn Seamless
41078-5086	3/4"	80	20 Ft	5086H32 Drawn Seamless
41100-5086	1"	40	20 Ft	5086H32 Drawn Seamless
41108-5086	1"	80	20 Ft	5086H32 Drawn Seamless
41125-5086	1 1/4"	40	20 Ft	5086H32 Drawn Seamless
41128-5086	1 1/4"	80	20 Ft	5086H32 Drawn Seamless
41150-5086	1 1/2"	40	20 Ft	5086H32 Drawn Seamless
41158-5086	1 1/2"	80	20 Ft	5086H32 Drawn Seamless
41200-5086	2"	40	20 Ft	5086H32 Drawn Seamless
41208-5086	2"	80	20 Ft	5086H32 Drawn Seamless
41250-5086	2 1/2"	40	20 Ft	5086H32 Drawn Seamless
41258-5086	2 1/2"	80	20 Ft	5086H32 Drawn Seamless
41300-5086	3"	40	20 Ft	5086H32 Drawn Seamless
41308-5086	3"	80	20 Ft	5086H32 Drawn Seamless
41350-5086	3 1/2"	40	20 Ft	5086H32 Drawn Seamless
41358-5086	3 1/2"	80	20 Ft	5086H32 Drawn Seamless
41400-5086	4"	40	20 Ft	5086H32 Drawn Seamless
41408-5086	4"	80	20 Ft	5086H32 Drawn Seamless
41500-5086	5"	40	20 Ft	5086H32 Drawn Seamless
41508-5086	5"	80	20 Ft	5086H32 Drawn Seamless
41600-5086	6"	40	20 Ft	5086H32 Drawn Seamless
41608-5086	6"	80	20 Ft	5086H32 Drawn Seamless
41800-5086	8"	40	20 Ft	5086H32 Drawn Seamless
41808-5086	8"	80	20 Ft	5086H32 Drawn Seamless
41114-5086`	10"	40	20 Ft	5086H32 Drawn Seamless
41118-5086	10"	80	12 Ft	5086H32 Drawn Seamless
41124-5086	12"	40	12 Ft	5086H32 Drawn Seamless

For Marine Use...



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • www.adimetal.com

SEVERAL SIZES DUAL CERTIFIED

5086 - QQ-A-250/7 ASTM B928
5083 - QQ-A-250/6 ASTM B928

Sheet & Plate 5086 - H116 or
5083 - H116 or Dual

MARINE GRADE - ABS

ITEM #	THICKNESS	SIZE
61122-5086	.125	4 Ft x 20 Ft
61124-5086	.125	5 Ft x 20 Ft
612572-5086	.125`	6 Ft x 20 Ft
612584-5086	.125	7 Ft x 20 Ft
6125962-5086	.125	8 Ft x 20 Ft
616084-5086	.160	7 Ft x 20 Ft
61190-5086	.190	4 Ft x 20 Ft
619060-5086	.190	5 Ft x 20 Ft
619072-5086	.190	6 Ft x 20 Ft
619084-5086	.190	7 Ft x 20 Ft
6190960-5086	.190	8 Ft x 20 Ft
61250-5086	.250	4 Ft x 20 Ft
61265-5086	.250	5 Ft x 20 Ft
6257220-5086	.250	6 Ft x 20 Ft
625084-5086	.250	7 Ft x 20 Ft
625096-5086	.250	8 Ft x 20 Ft
631348-5086	.313	4 Ft x 20 Ft
6313602-5086	.313	5 Ft x 20 Ft
631372-5086	.313	6 Ft x 20 Ft
631384-5086	.313	7 Ft x 20 Ft
631396-5086	.313	8 Ft x 20 Ft
637548-5086	.375	4 Ft x 20 Ft
637560-5086	.375	5 Ft x 20 Ft
637572-5086	.375	6 Ft x 20 Ft
637584-5086	.375	7 Ft x 20 Ft
637596-5086	.375	8 Ft x 20 Ft
66548-5086	.500	4 Ft x 20 Ft
61550-5086	.500	5 Ft x 20 Ft
650072-5086	.500	6 Ft x 20 Ft
650084-5086	.500	7 Ft x 20 Ft
650096-5086	.500	8 Ft x 20 Ft

OTHER SIZES AVAILABLE

For Marine Use...



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • www.adimetal.com

QQ-A-200/5 ASTM B221

Flat Bar 5086-H111

MARINE GRADE - ABS / DNV / Lloyds Certified

ITEM #	SIZE	LENGTH
21125-5086	1 x 1/8	20 Ft
21188-5086	1 x 3/16	20 Ft
21250-5086	1 x 1/4	20 Ft
21500-5086	1 x 1/2	20 Ft
215125-5086	1 1/2 x 1/8	20 Ft
215188-5086	1 1/2 x 3/16	20 Ft
215250-5086	1 1/2 x 1/4	20 Ft
20125-5086	2 x 1/8	20 Ft
20188-5086	2 x 3/16	20 Ft
20250-5086	2 x 1/4	20 Ft
20375-5086	2 x 3/8	20 Ft
20500-5086	2 x 1/2	20 Ft
225250-50865	2 1/2 x 1/4	20 Ft
23188-5086	3 x 3/16	20 Ft
230250-5086	3 x 1/4	20 Ft
230375-5086	3 x 3/8	20 Ft
230500-5086	3 x 1/2	20 Ft
240188-5086	4 x 3/16	20 Ft
240250-5086	4 x 1/4	20 Ft
240375-5086	4 x 3/8	20 Ft
240500-5086	4 x 1/2	20 Ft
24075-5086	4 x 3/4	20 Ft
250250-5086	5 x 1/4	20 Ft
250500-5086	5 x 1/2	20 Ft
250750-5086	5 x 3/4	20 Ft
260250-5086	6 x 1/4	20 Ft
260375-5086	6 x 3/8	20 Ft
260500-5086	6 x 1/2	20 Ft

For Marine Use...



2930 S.W. 2nd Ave. • Ft. Lauderdale, FL 33315 • www.adimetal.com

WW-T-700/5 ASTM B210

Round Tube 5086 - H32

marine grade

ITEM NO.	SIZE	LENGTH / ALLOY	
53500-5086	3 x 1/2	20 Ft / 5086H32	Drawn Seamless
54025-5086	4 x 1/4	20 Ft / 5086H32	Drawn Seamless
54500-5086	4 x 1/2	20 Ft / 5086H32	Drawn Seamless
545025-5086	4 1/2 x 1/4	20 Ft / 5086H32	Drawn Seamless
500250-5086	5 x 1/4	20 Ft / 5086H32	Drawn Seamless
55500-5086	5 x 1/2	20 Ft / 5086H32	Drawn Seamless
550500-5086	5 1/2 x 1/2	20 Ft / 5086H32	Drawn Seamless
600250-5086	6 x 1/4	20 Ft / 5086H32	Drawn Seamless
600500-5086	6 x 1/2	20 Ft / 5086H32	Drawn Seamless
650500-5086	6 1/2 x 1/2	20 Ft / 5086H32	Drawn Seamless
800500-5086	8 x 1/2	20 Ft / 5086H32	Drawn Seamless
100250-5086	10 x 1/4	20 Ft / 5086H32	Drawn Seamless
100375-5086	10 x 3/8	20 Ft / 5086H32	Drawn Seamless
100500-5086	10 x 1/2	16 Ft / 5086H32	Drawn Seamless
120500-5086	12 x 1/2	12 Ft / 5086H32	Drawn Seamless

QQ-A-200/5 ASTM B221

Round Rod 5086 - H111

marine grade

ITEM NO.	SIZE	LENGTH	ALLOY
71050-5086	1/2"	20 Ft	5086H111
71625-5086	5/8"	12 Ft	5086H111
71750-5086	3/4"	20 Ft	5086H111
71200-5086	1"	20 Ft	5086H111
71250-5086	1 1/4"	12 Ft	5086H111
71255-5086	1 1/4"	20 Ft	5086H111
71150-5086	1 1/2"	20 Ft	5086H111
72200-5086	2"	12 Ft	5086H111
72300-5086	3"	20 Ft	5086H111
72400-5086	4"	12 Ft	5086H111

For MarineUse...



COMPARISON OF GAUGES

Gauge	United States Std.	USS Rev.	Thickness Equivalent Galv. Sheet	Brown and Sharpe	Oz./ Sq. Ft.	Decimal Equivalent
	Stainless Steel Monel Nickel	Galvannealed Cold Rolled Hot Rolled Steel Sheet	After Galvanizing	Aluminum Brass Bronze	Copper	
30	.0125	.0120	.0157	.0100	8	.0108
29	.0140	.0135	.0172	.0113	-	-
28	.0156	.0149	.0187	.0126	10	.0135
27	.0171	.0164	.0202	.0142	12	.0162
26	.0187	.0179	.0217	.0159	14	.0189
25	.0218	.0209	.0247	.0179	16	.0216
24	.0250	.0239	.0276	.0201	18	.0243
23	.0281	.0269	.0306	.0226	20	.0270
22	.0312	.0299	.0336	.0253	-	-
21	.0343	.0329	.0366	.0285	24	.0323
20	.0375	.0359	.0396	.0320	28	.0377
19	.0437	.0418	.0456	.0359	32	.0431
18	.0500	.0478	.0516	.0403	-	-
17	.0562	.0538	.0575	.0453	36	.0485
16	.0625	.0598	.0635	.0508	40	.0539
15	.0703	.0673	.0710	.0571	48	.0647
14	.0781	.0747	.0785	.0641	64	.0863
13	.0937	.0897	.0934	.0720	3/32	.0937
12	.1093	.1046	.1084	.0808	-	-
11	.1250	.1196	.1233	.0907	1/8	.1250
10	.1406	.1345	.1382	.1019	-	-
7	.1875	.1793	-	.1443	-	-
3	.2500	.2391	-	.2294	-	-

For Marine & Industrial Uses...